



TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF SOLID WASTE MANAGEMENT
SOLID WASTE DISPOSAL FACILITY EVALUATION

NAME OF SITE <i>Paris - Henry County Landfill</i>		REGISTRATION NUMBER <i>DML 40-0083</i>		DATE <i>12/9/14</i>	
LOCATION (physical) <i>Paris, Henry County</i>		PURPOSE <input checked="" type="checkbox"/> Complete () Follow-up () Complaint () Other			
OWNER/OPERATOR <i>Henry County</i>		TYPE OF FACILITY () CLASS I () CLASS II () CLASS III () CLASS IV			
		V1	V2		V1 V2
Inadequate vector control	8010	___	___	Leachate improperly managed	8330 ___
Access not limited to operating hours	8020	___	___	Inadequate leachate collection	___
Inadequate artificial or natural barrier	8030	___	___	system	8340 ___
Inadequate information signs	8040	___	___	Leachate observed at the site	8350 ___
Unsatisfactory access road(s)/parking	8050	___	___	Leachate entering runoff	8360 ___
area(s)				Leachate entering a water	___
Certified personnel not present				course	8370 ___
during operating hours	8060	___	___	Inadequate gas migration control	___
Unapproved salvaging of waste	8070	___	___	system	8380 ___
Evidence of open burning	8080	___	___	Inadequate maintenance of gas	___
Inadequate fire protection	8090	___	___	migration control system	8390 ___
Unsatisfactory litter control	8110	___	___	Potential for explosions or	___
Inadequate employee facilities	8120	___	___	uncontrolled fires	8420 ___
No communication devices	8130	___	___	Waste not confined to a	___
Inadequate operating equipment	8140	___	___	manageable area	8430 ___
Unavailability of backup equipment	8150	___	___	Improper spreading of waste	8440 ___
Unavailability of cover material	8160	___	___	Improper compacting of waste	8450 ___
Inadequate maintenance of				Unsatisfactory initial cover	8460 ___
runon/runoff system(s)	8170	___	___	Unsatisfactory intermediate	___
Inadequate erosion control	8180	___	___	cover	8470 ___
Inadequate dust control	8190	___	___	Unsatisfactory final cover	8480 ___
Unauthorized waste accepted	8210	___	___	Excessive pooling of water	8490 ___
Unapproved special waste accepted	8220	___	___	Unsatisfactory stabilization of	___
Tires improperly handled	8230	___	___	cover	8510 ___
Medical waste improperly handled	8240	___	___	Dumping of waste into water	8520 ___
Dead animals improperly handled	8250	___	___	Unsatisfactory records or reports	8530 ___
Washout of solid waste	8270	___	___	Groundwater monitoring system	___
No permanent benchmark	8280	___	___	improperly maintained	8540 ___
Inadequate random inspection				Operation does not correspond	___
program	8290	___	___	with engineering plans	8570 ___
Mishandling of special waste	8300	___	___	Operation does not correspond	___
Buffer zone standard violated	8310	___	___	with permit condition(s)	8580 ___
Inadequate maintenance of leachate				Permit, plans, operating manual	___
management system	8320	___	___	not available	8590 ___
				No operating scales	8610 ___
COMMENTS: <i>No violations</i>					
PERSON INTERVIEWED (Signature) <i>Michael Steele</i>		INSPECTED BY (Signature) <i>[Signature]</i>			
TITLE		TITLE <i>Env. Engineer</i>			
TIME OF DAY <i>12:30</i>	WEATHER CONDITIONS <i>cool / cloudy</i>		COMPLIANCE DATE <i>12/9/14</i>		

Distribution: Facility - White

Field Office - Canary

Central Office - XC